

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2248	(707/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 14:14
L2	454	(709/242).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 14:14
L3	1482	I1 and @ad < "20011127"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:24
L4	627	(replicat\$3 or mirror\$3 or identical) and I3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:55
L5	138	I4 and ((ID or identification or sequence) near number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:24
L6	22	I4 and (compar\$4 same ((ID or identification or sequence) near number\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:25
L7	356	I2 and @ad < "20011127"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:24
L8	269	(replicat\$3 or mirror\$3 or updat\$3) and I7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:56
L9	155	(timestamp or time and ((sequence near number) or id or identification)) and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:57

L10	17	compar\$3 same (timestamp or time and ((sequence near number) or id or identification)) and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:02
L11	21111	microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:01
L12	487	replication and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:02
L13	999	replicat\$3 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:02
L14	50	compar\$3 same (timestamp or time and ((sequence near number) or id or identification)) and l13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:03
L15	8	l14 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:04
L16	21	(parham with jeffrey).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:05
S1	1983	(709/224).CCLS.	USPAT	OR	OFF	2005/10/05 16:05
S2	17	monitor\$3 with (server\$1 adj1 replica\$4)	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:10
S3	218	(714/34).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:07
S4	4	latency and S2	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:13
S5	2	email adj1 error with (server\$1 or administrator or client\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:15
S6	432	((email\$3 or display\$3 or broadcast) adj1 (error\$1 or alert\$1 or alarm\$1 or fault\$1)) with (server\$1 or administrator or client\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:19

S7	3462	(709/224).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:17
S8	17	S6 and S7	USPAT	OR	OFF	2004/12/15 18:17
S9	2198	((email\$3 or display\$3 or broadcast) adj1 (error\$1 or alert\$1 or alarm\$1 or fault\$1)) with (server\$1 or administrator or client\$1 or user\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:19
S10	61	S7 and S9	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:29
S11	37	(replica\$4 adj1 server\$1) and S9	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:34
S12	415	rmon	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:33
S13	3	(replica\$4 adj1 server\$1) and S12	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:35
S14	69	smnp	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:35
S15	0	(replica\$4 adj1 server\$1) and S14	US-PGPUB; USPAT	OR	OFF	2004/12/15 18:35
S16	1983	(709/224).CCLS.	USPAT	OR	OFF	2004/12/16 13:47
S17	1	(replica\$4 adj1 server) with (updat\$3 adj1 sequence adj1 number)	USPAT	OR	OFF	2004/12/16 15:13
S18	3	(replica\$4 adj1 server) with (updat\$3 adj1 sequence adj1 number)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:49
S19	3	(replica\$4 adj1 server) same (updat\$3 adj1 sequence adj1 number)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:50
S20	595	(replica\$4 adj1 server) or (updat\$3 adj1 sequence adj1 number)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:50
S21	20	S16 and S20	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:00
S22	713	(707/202).CCLS.	USPAT	OR	OFF	2004/12/16 14:02
S23	27	S20 and S22	USPAT	OR	OFF	2004/12/16 14:24
S24	250	(714/22).CCLS.	USPAT	OR	OFF	2004/12/16 15:12
S25	14040	("707").CLAS.	USPAT	OR	OFF	2004/12/16 15:12
S26	105	(replica\$4 adj1 server) and S25	USPAT	OR	OFF	2004/12/16 15:14
S27	105	(time or sequence number) and S26	USPAT	OR	OFF	2004/12/16 15:16
S28	100	(time with sequence number) and S26	USPAT	OR	OFF	2004/12/16 16:03
S29	1	("6674767").PN.	USPAT	OR	OFF	2004/12/16 16:03

S30	0	multithread and S29	USPAT	OR	OFF	2004/12/16 16:03
S31	0	"61889358"	USPAT	OR	OFF	2004/12/20 12:30
S32	14339	database with (replica\$5 or updat\$3 or copy\$3 or copies) same (server or network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 13:33
S33	9009	database with (replica\$5 or updat\$3 or copy\$3 or copies) with (server or network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 13:33
S34	1269	database with (replica\$5 or updat\$3 or copy\$3 or copies) with (remote or local) with (server or network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:08
S35	3711	(timestamp or time) with ((sequence adj1 number) or usn or (updat\$2 adj1 number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 13:36
S36	27	S34 and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 14:15
S37	410	replication with database with server\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 13:59
S38	51309	(remote or local) with server\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 14:00
S39	319	S37 and S38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 14:00
S40	8	"6529921"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 18:16
S41	64	(active or stand-by or spare or back-up) with (device\$1 or computer\$1 or system\$1 or switch\$2 or router\$1) same (plurality adj1 ports)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 18:18
S42	1269	database with (replica\$5 or updat\$3 or copy\$3 or copies) with (remote or local) with (remote or local) with (server or network)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:11

S43	386	server adj1 replica\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:09
S44	38	S42 and S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:09
S45	466352	(timestamp or time) with ((sequence adj1 number) or usn or number or (undat\$3 number) or (updat\$3 adj1 sequence number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:13
S46	609	S42 and S45	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:20
S47	16	S43 and S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/20 19:14
S48	1983	(709/224).CCLS.	USPAT	OR	OFF	2004/12/20 19:20
S49	22	S42 and S48	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 19:41
S50	0	multithreaded adj1 queing adj1 protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 19:42
S51	0	multi-threaded adj1 queing adj1 protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 19:42
S52	0	multi-threaded adj1 queing	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 19:42
S53	250	multithreaded adj1 message queing	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 19:42
S54	237	server\$1 adj1 replica\$5	USPAT	OR	OFF	2004/12/21 12:03
S55	788	timestamp with ((sequence adj1 number) or update number or update)	USPAT	OR	OFF	2004/12/21 12:04
S56	11	S54 and S55	USPAT	OR	OFF	2004/12/21 13:01
S57	2	"6457011"	USPAT	OR	OFF	2004/12/21 13:01
S58	0	"2002162030"	US-PGPUB; USPAT	OR	OFF	2004/12/21 13:02
S59	2	"6457011"	US-PGPUB; USPAT	OR	OFF	2004/12/21 13:02
S60	342	transient adj1 storage	US-PGPUB; USPAT	OR	OFF	2004/12/21 18:00

S61	105	client and S60	US-PGPUB; USPAT	OR	OFF	2004/12/21 18:07
S62	2	"6457011"	USPAT	OR	OFF	2004/12/23 10:57
S63	8	"5715137"	USPAT	OR	OFF	2004/12/23 14:23
S64	3	"6643670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:06
S65	392150	(replic\$5 or cop\$3 or duplicat\$3 or updat\$3) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:55
S66	216281	(replic\$5 or cop\$3 or duplicat\$3 or updat\$3) with (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:08
S67	153445	S66 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:09
S68	182651	(synch\$10 with (data or database or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:10
S69	16498	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:46
S70	145200	("sequence number" or identifier or number) same (replic\$5 or cop\$3 or duplicat\$3 or updat\$3 or synch\$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:48
S71	11497	("sequence number" or identifier) same (replic\$5 or cop\$3 or duplicat\$3 or updat\$3 or synch\$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:54
S72	6573	S71 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:54

S73	2712	("sequence number") same (replic\$5 or cop\$3 or duplicat\$3 or updat\$3 or synch\$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:13
S74	1698	S73 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:55
S75	388660	(replic\$5 or cop\$3 or duplicat\$3 or updat\$3) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:59
S76	0	("l11samel12").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:56
S77	1270	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:57
S78	271149	(replic\$5 or synch\$10) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:59
S79	871	S74 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:05
S80	3	"6643670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:05
S81	1	("6643670").URPN.	USPAT	OR	ON	2005/10/05 17:05
S82	9	("5758337" "5829001" "6012059" "6243715" "6256634" "6374283" "6457011" "6516327" "6529921").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:06
S83	3686	("sequence number" or "version number") same (replic\$5 or cop\$3 or duplicat\$3 or updat\$3 or synch\$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:14

S84	1812	S78 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:14
S85	1109	S84 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:17
S86	29513	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:17
S87	185	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:17
S88	271554	(replic\$5 or synch\$10) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S89	3696	("sequence number" or "version number") same (replic\$5 or cop\$3 or duplicat\$3 or updat\$3 or synch\$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S90	1818	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S91	1109	S90 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S92	29605	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:41
S93	185	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41

S94	185	S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:42
S95	20	S94 and (latency or congest\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:57
S96	10	(replicat\$3 or synch\$1 or mirror\$3) same ((sequence or version) near2 number) same (time or timestamp) same (latency or congest\$2 or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:03
S97	3	S96 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:59
S98	6483	(replicat\$3 or synch\$1 or mirror\$3) same (time or timestamp) same (latency or congest\$2 or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:03
S99	4599	S98 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:08
S10 0	2	"6865576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:12
S10 1	4	"6138124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:21
S10 2	10	replica\$4 same ((sequence or version) near2 number) same (latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23
S10 3	399	replica\$4 same (time or timestamp) same (latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23

S10 4	241	S103 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23
S10 5	55	S104 and ((sequence or version or replica) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:24
S10 6	399	replica\$4 same (time or timestamp) same (latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:57
S10 7	241	S106 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:02
S10 8	2	"20020065827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:05
S10 9	2	S108 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:13
S11 0	2	"20020107878"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:13
S11 1	0	S110 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:14
S11 2	2	"20030037029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:14
S11 3	0	S112 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15

S11 4	9	"6516327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15
S11 5	2	S114 and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:24
S11 6	1287	(707/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:24
S11 7	1046	S116 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:24
S11 8	444	(replica\$4 or synch\$10) and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:25
S11 9	131	S118 and (latency or delay or congested)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:26
S12 0	131	(time or timestamp) and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:26
S12 1	55	((version or sequence) near2 number) and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:12
S12 2	2	"20020194211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:13
S12 3	2	"20030018786"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:14

S12 4	2	"20030065774"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:15
S12 5	38	"6408336"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:18
S12 6	3	"6772350"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:18